PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System

Applications

- Stores
- Restaurants
- Retail

E475876

Highlights

- High End Track System
- 48 Volts
- Field Cuttable
- 5 Year Warranty
- Various Insert Options
- Pendant, Surface & Recessed Track



Ordering Guide

Example LGL-LIV-P-3-B-0-L-40

LGL	LIV						
LUMINOS GLOBAL	**PRODUCT**	**MOUNTING**	**LENGTH**	**FINISH**	**DIMMING**	**ACCESSORIES**	**DRIVER**
LGL	LIV	PUD= Pendant Up/Down Lighting	3= 3.28 ft	B= Black	0= 0-10V	L= Live End Feed	40= 40W
		P= Pendant	6= 6.56 ft	W= White	D= DALI	JFC= Joiner Feed Connector	60= 60W
		SM= Surface Mount	9= 9.84 ft			HLC= Horizontal L-Connector	80= 80W
		SM2= Surface Mount Deep				VLC= Vertical L-Connector	100= 100W
		R1= Recessed with Trim				TCL= T-Connector Left	120= 120W
		R2= Recessed with 1/2” Ceiling				TCR= T-Connector Right	150= 150W
		R3= Recessed Easy Installation				XC= X-Connector	240= 240W
		R4= Recessed with Adjustable Trimless					
		R5= Recessed Compatible with Several Thickness Installation					

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System

Technical Overview

Performance Summary

Input Voltage	48V
Input Frequency	50-60Hz
Lumen Efficacy	Up to 110 lm/w
Working Environment	Indoor
Beam Angles Available	15°, 18°, 20°, 24°, 25°, 30°, 35°, 36°, 45°, 50° 55°, 60°, 65°, 110°, 120°, 180°, Wall Washer
CRI	90+
Power Factor	>0.98
Insert Options	Spotlight, Accent, General Light, Comfort Light, Wall Washer, Downlight, Decorative
Dimming Options	0-10V, DALI
Life Span	>50,000 hrs
Mounting Options	Spotlight, Accent, General Light, Comfort Light, Wall Washer, Downlight, Decorative

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System

Mounting

Surface-Mounted Track



LIV-SM
Surface-Mounted




LIV-SM2
Standard Track

Pendant Track



LIV-P
Standard Track




LIV-P-UD
Downward & Upward Lighting

Recessed Track



LIV-R1
With Trim



LIV-R2
Compatible with 1/2” Ceiling



LIV-R3
Easy Installation



LIV-R4
With adjustable trimless recessed installation kit



LIV-R5
Compatible with various thickness of ceiling

PROJECT NAME

FIXTURE TYPE


CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System


Installation

Surface-Mounted Track




Code: LIV-SM
Description: Surface-mounted
Length: 3.28/6.56/9.84(ft)
Color: RAL9005 black, RAL9016 white

Surface-Mounted Track




Code: LIV-SM2
Description: Standard
Length: 3.28/6.56/9.84(ft)
Color: RAL9005 black, RAL9016 white

Suspended Track




Code: LIV-P
Description: Standard
Length: 3.28/6.56/9.84(ft)
Color: RAL9005 black, RAL9016 white

Suspended Track




Code: LIV-P-UD
Description: Downward & upward lighting
Length: 3.28/6.56/9.84(ft)
Color: RAL9005 black, RAL9016 white

Recessed Track




Code: LIV-R1
Description: With trim
Length: 3.28/6.56/9.84(ft)
Color: RAL9005 black, RAL9016 white

Recessed Track




Code: LIV-R2
Description: Compatible with 1/2” ceiling
Length: 3.28/6.56/9.84(ft)
Color: RAL9005 black, RAL9016 white

Recessed Track




Code: LIV-R3
Description: Easy installation
Length: 3.28/6.56/9.84(ft)
Color: RAL9005 black, RAL9016 white

Recessed Track



Code: LIV-P-R4
Description: With adjustable trimless recessed installation kit
Length: 3.28/6.56/9.84(ft)
Color: RAL9005 black, RAL9016 white
*Compatible with the ceiling of thickness between 0.49”-0.80”



Code: LIV-R5
Description: Compatible with various thickness of ceiling
Length: 3.28/6.56/9.84(ft)
Color: RAL9005 black, RAL9016 white
*Compatible with the ceiling of thicknes: 0.19”/0.35”/0.49”/0.59”/0.70”/0.79”/0.98”

© 2025 Luminos Global, Inc. | www.luminosglobal.com

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System

Inserts for Track

Spotlight Insert



LIV-TR-3W



LIV-TR-5W



LIV-TR-8W



LIV-TR-16W



LIV-TR-12W



LIV-TR-24W



LIV-TR-10W



LIV-TR-19W
LIV-TR-26W



LIV-TR-9W

Accent Light Insert



LIV-BAR-3W



LIV-BAR-7W



LIV-BAR-9W



LIV-BAR-13W



LIV-BAR-A-13W



LIV-BAR-A-15W



LIV-BAR-S-13W
LIV-BAR-S-26W

General Light Insert



LIV-BIR-7W
LIV-BIR-13W
LIV-BIR-19W
LIV-BIR-26W



LIV-ABR-7W



LIV-ABR-8W



LIV-PBR-13W

Comfort Light Insert



LIV-CBR-7W
LIV-CBR-13W
LIV-CBR-19W
LIV-CBR-26W

Wall Washer Insert



LIV-WW-7W
LIV-WW-14W

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System

Inserts for Track

Downlight Insert



LIV-RD-10W



LIV-RD-20W

Decorative Light Insert



LIV-BLL-10W



LIV-PDL-18W



LIV-CB-5W



LIV-DSK-9W



LIV-PC-12W



LIV-PC-14W

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System

Ordering Guide for Inserts



LIV-TR-3W



LIV-TR-5W





LIV-TR-8W



LIV-TR-16W


Spotlight Insert






LIV-TR-3W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-TR-3W-30-18 LIV-TR-3W-40-18	180Lm 190Lm	3W	DC48V	90	3000K 4000K	18°
LIV-TR-3W-30-30 LIV-TR-3W-40-30	180Lm 190Lm	3W	DC48V	90	3000K 4000K	30°
LIV-TR-3W-30-45 LIV-TR-3W-30-45	180Lm 190Lm	3W	DC48V	90	3000K 4000K	45°
LIV-TR-5W						
LIV-TR-5W-30-18 LIV-TR-5W-40-18	350Lm 380Lm	5W	DC48V	90	3000K 4000K	18°
LIV-TR-5W-30-30 LIV-TR-5W-40-30	350Lm 380Lm	5W	DC48V	90	3000K 4000K	30°
LIV-TR-5W-30-45 LIV-TR-5W-40-45	350Lm 380Lm	5W	DC48V	90	3000K 4000K	45°

Spotlight Insert





LIV-TR-8W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-TR-8W-30-18 LIV-TR-8W-40-18	580Lm 620Lm	8W	DC48V	90	3000K 4000K	18°
LIV-TR-8W-30-30 LIV-TR-8W-40-30	580Lm 620Lm	8W	DC48V	90	3000K 4000K	30°
LIV-TR-8W-30-45 LIV-TR-8W-30-45	580Lm 620Lm	8W	DC48V	90	3000K 4000K	45°
LIV-TR-16W						
LIV-TR-16W-30-18 LIV-TR-16W-40-18	1100Lm 1200Lm	16W	DC48V	90	3000K 4000K	18°
LIV-TR-16W-30-30 LIV-TR-16W-40-30	1100Lm 1200Lm	16W	DC48V	90	3000K 4000K	30°
LIV-TR-16W-30-45 LIV-TR-16W-40-45	850Lm 900Lm	16W	DC48V	90	3000K 4000K	45°

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System

Ordering Guide for Inserts



LIV-TR-12W



LIV-TR-24W




LIV-TR-10W
Zoomable Spotlight




LIV-TR-19W
LIV-TR-26W
Single Spot

Spotlight Insert



Spotlight Insert



LIV-TR-12W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-TR-12W-30-18 LIV-TR-12W-40-18	750Lm 800Lm	12W	DC48V	90	3000K 4000K	18°
LIV-TR-12W-30-30 LIV-TR-12W-40-30	750Lm 800Lm	12W	DC48V	90	3000K 4000K	30°
LIV-TR-12W-30-45 LIV-TR-12W-40-45	750Lm 800Lm	12W	DC48V	90	3000K 4000K	45°
LIV-TR-24W						
LIV-TR-24W-30-18 LIV-TR-24W-40-18	1500Lm 1600Lm	24W	DC48V	90	3000K 4000K	18°
LIV-TR-24W-30-30 LIV-TR-24W-40-30	1500Lm 1600Lm	24W	DC48V	90	3000K 4000K	30°
LIV-TR-24W-30-45 LIV-TR-24W-40-45	1200Lm 1300Lm	24W	DC48V	90	3000K 4000K	45°

LIV-TR-10W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-TR-24W-30-20 LIV-TR-24W-40-20	800Lm 850Lm	10W	DC48V	90	3000K 4000K	20°-40°
LIV-TR-24W-30-35 LIV-TR-24W-40-35	750Lm 800Lm	10W	DC48V	90	3000K 4000K	35°-60°
LIV-TR-19W						
LIV-TR-19W-30-20 LIV-TR-19W-40-20	1700Lm 1800Lm	19W	DC48V	**90**	3000K 4000K	20°
LIV-TR-19W-30-35 LIV-TR-19W-40-35	1700Lm 1800Lm	19W	DC48V	90	3000K 4000K	35°
LIV-TR-19W-30-55 LIV-TR-19W-40-55	1700Lm 1800Lm	19W	DC48V	90	3000K 4000K	55°
LIV-TR-26W						
LIV-TR-26W-30-20 LIV-TR-26W-40-20	2300Lm 2500Lm	26W	DC48V	90	3000K 4000K	20°
LIV-TR-26W-30-35 LIV-TR-26W-40-35	2300Lm 2500Lm	26W	DC48V	90	3000K 4000K	35°
LIV-TR-26W-30-55 LIV-TR-26W-40-55	2300Lm 2500Lm	26W	DC48V	90	3000K 4000K	55°

© 2025 Luminos Global, Inc. | www.luminosglobal.com

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES


LIV Series
48V Track System

Ordering Guide for Inserts



LIV-TRC-9W

Spotlight Insert



LIV-TRC-9W

Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-TRC-9W-30-15	720Lm	9W	DC48V	90	3000K	15°
LIV-TRC-9W-40-15	780Lm				4000K	
LIV-TRC-9W-30-25	750Lm	9W	DC48V	90	3000K	25°
LIV-TRC-9W-40-25	830Lm				4000K	
LIV-TRC-9W-30-35	750Lm	9W	DC48V	90	3000K	35°
LIV-TRC-9W-40-35	830Lm				4000K	

Optional



White



Gold

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System

Ordering Guide for Inserts



LIV-BAR-3W



LIV-BAR-7W




LIV-BAR-9W




LIV-BAR-13W

Accent Light Insert



LIV-BAR-3W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-BAR-3W-30-20	180Lm	3W	DC48V	90	3000K	20°
LIV-BAR-3W-40-20	200Lm				4000K	
LIV-BAR-3W-30-35	180Lm	3W	DC48V	90	3000K	35°
LIV-BAR-3W-40-35	200Lm				4000K	
LIV-BAR-7W						
LIV-BAR-7W-30-20	550Lm	7W	DC48V	90	3000K	20°
LIV-BAR-7W-40-20	600Lm				4000K	
LIV-BAR-7W-30-35	550Lm	7W	DC48V	90	3000K	35°
LIV-BAR-7W-40-35	600Lm				4000K	

Accent Light Insert



LIV-BAR-9W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-BAR-9W-30-20	750Lm	9W	DC48V	90	3000K	20°
LIV-BAR-9W-40-20	800Lm				4000K	
LIV-BAR-9W-30-35	750Lm	9W	DC48V	90	3000K	35°
LIV-BAR-9W-40-35	800Lm				4000K	
LIV-BAR-13W						
LIV-BAR-13W-30-20	1100Lm	13W	DC48V	90	3000K	20°
LIV-BAR-13W-40-20	1200Lm				4000K	
LIV-BAR-13W-30-35	1100Lm	13W	DC48V	90	3000K	35°
LIV-BAR-13W-40-35	1200Lm				4000K	

© 2025 Luminos Global, Inc. | www.luminosglobal.com

PROJECT NAME


FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System

Ordering Guide for Inserts




LIV-BAR-A-13W
Adjustable




LIV-BAR-A-15W

Accent Light Insert



Accent Light Insert



LIV-BAR-A-13W

Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-BAR-A-13W-30-20	1100Lm	13W	DC48V	90	3000K	20°
LIV-BAR-A-13W-40-20	1200Lm				4000K	
LIV-BAR-A-13W-30-35	1100Lm	13W	DC48V	90	3000K	35°
LIV-BAR-A-13W-40-35	1200Lm				4000K	

LIV-BAR-A-15W

Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-BAR-A-15W-30-30	1100Lm	15W	DC48V	90	3000K	30°
LIV-BAR-A-15W-40-30	1800Lm				4000K	

© 2025 Luminos Global, Inc. | www.luminosglobal.com

PROJECT NAME


FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System


Ordering Guide for Inserts



LIV-BAR-S-13W
Adjustable

LIV-BAR-S-26W
Adjustable

Accent Light Insert



LIV-BAR-S-13W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-BAR-S-13W-30-20	1100Lm	13W	DC48V	90	3000K	20°
LIV-BAR-S-13W-40-20	1200Lm				4000K	
LIV-BAR-S-13W-30-45	1100Lm	13W	DC48V	90	3000K	35°
LIV-BAR-S-13W-40-45	1200Lm				4000K	
LIV-BAR-S-26W						
LIV-BAR-S-26W-30-20	2200Lm	26W	DC48V	90	3000K	20°
LIV-BAR-S-26W-40-20	2400Lm				4000K	
LIV-BAR-S-26W-30-35	2200Lm	26W	DC48V	90	3000K	35°
LIV-BAR-S-26W-40-35	2400Lm				4000K	

© 2025 Luminos Global, Inc. | www.luminosglobal.com

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER


ADDITIONAL NOTES

LIV Series
48V Track System

Ordering Guide for Inserts




LIV-BIR-7W
LIV-BIR-13W
LIV-BIR-19W
LIV-BIR-26W




LIV-BIR-A-7W
Adjustable

General Light Insert



Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-BIR-7W						
LIV-BIR-7W-30-110 LIV-BIR-7W-40-110	400Lm 450Lm	7W	DC48V	90	3000K 4000K	110°
LIV-BIR-13W						
LIV-BIR-13W-30-110 LIV-BIR-13W-40-110	800Lm 850Lm	13W	DC48V	90	3000K 4000K	35°
LIV-BIR-19W						
LIV-BIR-19W-30-110 LIV-BIR-19W-40-110	1200Lm 1300Lm	19W	DC48V	90	3000K 4000K	20°
LIV-BIR-26W						
LIV-BIR-26W-30-110 LIV-BIR-26W-40-110	1600Lm 1700Lm	26W	DC48V	90	3000K 4000K	35°

General Light Insert



Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-BIR-A-7W						
LIV-BIR-A-7W-30-110 LIV-BIR-A-7W-40-110	400Lm 450Lm	7W	DC48V	90	3000K 4000K	110°

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System

Ordering Guide for Inserts




LIV-BIR-A-8W
Adjustable



LIV-PBR-13W
Adjustable


General Light Insert



LIV-BIR-A-8W

Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-BIR-A-8W-30-120	500Lm	8W	DC48V	90	3000K	120°
LIV-BIR-A-8W-40-120	550Lm				4000K	120°

General Light Insert



LIV-PBR-13W

Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-PBR-13W-30-110	800Lm	13W	DC48V	90	3000K	110°
LIV-PBR-13W-40-110	900Lm				4000K	

Optional



White Gold

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES


LIV Series
48V Track System

Ordering Guide for Inserts






Comfort Light Insert



Wall Washer Insert



LIV-CBR-7W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-CBR-7W-30-65	380Lm	7W	DC48V	90	3000K	65°
LIV-CBR-7W-40-65	420Lm				4000K	
LIV-CBR-13W						
LIV-CBR-13W-30-65	750Lm	13W	DC48V	90	3000K	65°
LIV-CBR-13W-40-65	800Lm				4000K	
LIV-CBR-19W						
LIV-CBR-19W-30-65	1100Lm	19W	DC48V	90	3000K	65°
LIV-CBR-19W-40-65	1200Lm				4000K	
LIV-CBR-26W						
LIV-CBR-26W-30-65	1500Lm	26W	DC48V	90	3000K	65°
LIV-CBR-26W-40-65	1600Lm				4000K	

LIV-WW-7W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-WW-7W-30	350Lm	7W	DC48V	90	3000K	Wall Washer
LIV-WW-7W-40	380Lm				4000K	Wall Washer
LIV-WW-13W						
LIV-WW-13W-30	700Lm	13W	DC48V	90	3000K	Wall Washer
LIV-WW-13W-40	750Lm				4000K	Wall Washer

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System

Ordering Guide for Inserts





LIV-RD-10W



LIV-RD-20W

Downlight Insert





Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-RD-10W						
LIV-RD-10W-30-25 LIV-RD-10W-40-25	700Lm 750Lm	10W	DC48V	90	3000K 4000K	25°
LIV-RD-10W-30-36 LIV-RD-10W-40-36	750Lm 800Lm	10W	DC48V	90	3000K 4000K	36°
LIV-RD-10W-30-50 LIV-RD-10W-40-50	750Lm 800Lm	10W	DC48V	90	3000K 4000K	50°
LIV-RD-20W						
LIV-RD-20W-30-25 LIV-RD-20W-40-25	1400Lm 1400Lm	20W	DC48V	90	3000K 4000K	25°
LIV-RD-20W-30-36 LIV-RD-20W-40-36	1500Lm 1600Lm	20W	DC48V	90	3000K 4000K	36°
LIV-RD-20W-30-50 LIV-RD-20W-40-50	1500Lm 1600Lm	20W	DC48V	90	3000K 4000K	50°

Accessory



Honeycomb

Optional




White



Gold

Reflector



Black | White | Specular | Chrome | Champagne Gold

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System

Ordering Guide for Inserts



LIV-BLL-10W

Decorate Light Insert



LIV-BLL-10W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-BLL-10W-30-180	650Lm	10W	DC48V	90	3000K	180°
LIV-BLL-10W-30-180	700Lm				4000K	

Optional




Black White Silver Gold



LIV-PDL-18W

Decorative Light Insert



LIV-PDL-18W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-PDL-18W-30-60	1100Lm	18W	DC48V	90	3000K	60°
LIV-PDL-18W-40-60	1200Lm				4000K	60°
LIV-PDL-W-18W						
LIV-PDL-W-18W-30-60	1100Lm	18W	DC48V	90	3000K	60°
LIV-PDL-W-18W-40-60	1200Lm				4000K	60°

Optional



White

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER

ADDITIONAL NOTES

LIV Series
48V Track System


Ordering Guide for Inserts






LIV-DSK-9W

Decorative Light Insert



Decorative Light Insert



LIV-CL-12W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-CL-12W-30-18 LIV-CL-12W-40-18	750Lm 800Lm	12W	DC48V	90	3000K 4000K	18°
LIV-CL-12W-30-30 LIV-CL-12W-40-30	750Lm 800Lm	12W	DC48V	90	3000K 4000K	30°
LIV-CL-12W-30-45 LIV-CL-12W-40-45	600Lm 650Lm	12W	DC48V	90	3000K 4000K	45°
LIV-CL-14W						
LIV-CL-14W-30-18 LIV-CL-14W-40-18	950Lm 1000Lm	14W	DC48V	90	3000K 4000K	18°
LIV-CL-14W-30-30 LIV-CL-14W-40-30	950Lm 1000Lm	14W	DC48V	90	3000K 4000K	24°
LIV-CL-14W-30-36 LIV-CL-14W-40-36	950Lm 1000Lm	14W	DC48V	90	3000K 4000K	36°

LIV-DSK-9W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-DSK-9W-30-110 LIV-DSK-9W-40-110	560Lm 600Lm	9W	DC48V	90	3000K 4000K	110°
LIV-DSK-9W-30-110 LIV-DSK-9W-40-110	560Lm 600Lm	9W	DC48V	90	3000K 4000K	110°

Optional



White Gold

PROJECT NAME

FIXTURE TYPE

CATALOG NUMBER


ADDITIONAL NOTES

LIV Series
48V Track System

Ordering Guide for Inserts



Decorative Light Insert



LIV-CB-5W						
Code	System LM	System W	Input Voltage	CRI	CCT	Beam
LIV-CB-5W-30-18	500Lm	5W	DC48V	90	3000K	18°
LIV-CB-5W-40-18	550Lm				4000K	
LIV-CB-5W-30-24	500Lm	5W	DC48V	90	3000K	24°
LIV-CB-5W-40-24	550Lm				4000K	
LIV-CB-5W-30-36	500Lm	5W	DC48V	90	3000K	36°
LIV-CB-5W-40-36	550Lm				4000K	
LIV-CB-5W-30-50	500Lm	5W	DC48V	90	3000K	50°
LIV-CB-5W-40-50	550Lm				4000K	

Optional



White Gold